

Reach for the Best

Small Joint Arthroscopy Solutions


- Small Joint Arthroscopes
- Champion™ Small Joint Instruments
- CORE™ Shaver System
- SERFAS™ ENERGY RF System
- iSWITCH® Wireless Footpedal



Take A Better Look

Small Joint Arthroscopes

See why Stryker is the image leader in high definition imaging with superior contrast and resolution for an unrivaled optical performance. Stryker arthroscopes combine the latest rod lens technology for superior transmission and excellent detail recognition with an improved durability for long lasting performance.



Features & Benefits:

- Autoclavable
- Intuitive SpeedLock™ Mechanism
- Available in 0°, 30°, and 70° direction of view
- Available in 2.7mm regular length
- Available in stubby sizes 2.7mm, 2.3mm, 1.9mm

C-Mount Arthroscopes:


- Coupler Mounted arthroscope
- Unique design protects against moisture & fogging

Arthroscopy Operative & Diagnostic Hardware

Stryker offers a wide variety of arthroscopy hardware featuring patented SpeedLock™ technology. The improved cannulas have been designed for versatility and strength during joint procedures. Diameters promise acute performance and greater freedom of movement.

Features & Benefits:

- SpeedLock™ bridge system adapts the 2.7mm arthroscopes to an operative cannula
- Many Small-Joint sizes available including High-Flow Series
- Available with single or double and fixed or rotating stopcocks
- Obturators are available in Pyramidal, Pencil, & Blunt tip styles
- SpeedLock™ Mechanism



Dual Stopcock with Speedlock™

Obturators: Pyramidal, Pencil, & Blunt

Small Joint Precision Hand Instruments

Champion™ Instrumentation Kit

The Champion™ Small Joint manual instruments are the ultimate tools for small joint arthroscopy. This durable instrument set includes small joint specialty punches, graspers, and scissors that range in size from 2.1mm to 2.7mm.



Stryker's Champion™ Small Joint Instruments:

- Combines increased sharpness, highly durable components, and extremely tight tolerances for the ultimate in tissue resection capabilities.
- Set includes up, down, right, and left biters for hard to reach tissue pathology.
- All instruments have a replaceable safety pin mechanism built into the handle. If the instrument experiences an abnormally high load of force, the safety pin will break instead of the working instrument tip.

Small Joint Probes & Rigid Instruments:

A wide variety of mini specialty tools are available.



242-100-002
2.1mm Straight Blunt Nose



242-100-003
2.1mm Right Blunt Nose



242-100-004
2.1mm Left Blunt Nose



242-100-005
2.1mm Down Blunt Nose



242-100-006
2.1mm Up Blunt Nose



242-100-007
2.5mm Scissors



242-100-008
2.5mm Grasper



242-100-012
2.7mm Straight Blunt Nose



242-100-013
2.7mm Up Blunt Nose



Micro Instruments

2mm Punch, Grasper, & Scissors for micro resection

CORE™ Powered Resection System

Small Joint Shavers

Offering several options for Small Joints


Stryker's array of Small Joint shaver hand pieces allow the specialist to choose their preferred resection device. These world class shavers, combined with four individually designed Small Joint shaver blades, provide optimal and precise resection during all Small Joint arthroscopy procedures.




Small Joint Cutters

Features & Benefits:


- The ergonomic Small Joint Shaver hand piece is ideal for elbow, wrist, and ankle arthroscopies
- Small Joint blades are the ideal length & diameter for all Small Joint resection needs
- Two button location choices for hand control shavers
- The CORE™ Console powers all four hand piece options



Aggressive Cutter
Formula® Compatible
2.5mm: 375-628-000
3.5mm: 375-638-000
Small Joint Compatible
2.5mm: 275-628-000
3.5mm: 275-638-000



Tomcat
Formula® Compatible
3.5mm: 375-636-000



Full Radius Cutter
Formula® Compatible
2.5mm: 375-627-000
3.5mm: 375-637-000
Small Joint Compatible
2.5mm: 275-627-000
3.5mm: 275-637-000



Hooded Abrasion Bar
Formula® Compatible
2.0mm: 375-641-000
3.0mm: 375-647-000
Small Joint Compatible
2.0mm: 275-641-000
3.0mm: 275-647-000

SERFAS™ ENERGY

Bipolar RF Ablation System

Small Joint Applications

The SERFAS™ ENERGY system offers three Small Joint style probes. Each is uniquely designed to meet surgeon needs in Small Joint procedures. The length and diameter of the ENERGY Small Joint probes provide the necessary size and strength for use in elbows, wrists, and ankles.



Small Joint Probes



Micro Brush
279-250-201
Effective, all-purpose
Small Joint probe



Aardvark
279-251-101
Bendable suction
probe for tight spaces



Micro Claw
279-250-101
Designed for direct end
cutting and ablation in
Small Joints

Small Joint Infusion Kit

Stryker offers an all-inclusive fluid management kit tailored for Small Joint Arthroscopy.

Kit Includes:

- (1) Triple Arm Infusion Tubing with Flow Control Stopcock
- (2) 50ml syringes
- (2) 10ml syringes
- (1) Out-flow tubing
- (2) 20 gauge short bevel needles
- (2) 18 gauge short bevel needles
- (2) Earpacks
- (1) Steristrip
- (2) Disposable Drain Pans



ARTHROSCOPES

Ordering Information

2.7mm Arthroscopes	Product Description	Speed-Lock™ Hardware for 2.7mm Arthroscopes	
502-343-010	2.7mm 0° Autoclavable Arthroscope, Speedlock	343-331-450	4.0mm Cannula, 1 Rotating Stopcock
502-343-030	2.7mm 30° Autoclavable Arthroscope, Speedlock	343-331-430	4.0mm Cannula, 2 Rotating Stopcocks
502-343-070	2.7mm 70° Autoclavable Arthroscope, Speedlock	343-331-420	Trocar Obturator
502-528-010	2.7mm 0° Autoclavable C-Mount Arthroscope, Speedlock	343-331-411	Blunt Tip Obturator
502-528-030	2.7mm 30° Autoclavable C-Mount Arthroscope, Speedlock	343-331-410	Pencil Tip Obturator
502-528-070	2.7mm 70° Autoclavable C-Mount Arthroscope, Speedlock		
502-428-010	2.7mm 0° Non-Autoclavable C-Mount Arthroscope, Speedlock		
502-428-030	2.7mm 30° Non-Autoclavable C-Mount Arthroscope, Speedlock		

2.7mm Stubby Arthroscopes	Product Description	Speed-Lock™ Hardware for 2.7mm Stubby Arthroscopes	
502-244-010	2.7mm 0° Autoclavable Stubby Arthroscope, Speedlock	502-244-560	4mm Cannula, 2 Rotating Stopcocks
502-244-030	2.7mm 30° Autoclavable Stubby Arthroscope, Speedlock	502-244-540	4mm Cannula, 2 Fixed Stopcocks
502-244-070	2.7mm 70° Autoclavable Stubby Arthroscope, Speedlock	502-244-550	4mm Cannula, 1 Fixed Stopcock
502-526-010	2.7mm 0° Autoclavable C-Mount Stubby Arthroscope, Speedlock	502-244-530	4mm Cannula, 1 Rotating Stopcock
502-526-030	2.7mm 30° Autoclavable C-Mount Stubby Arthroscope, Speedlock	502-244-520	Trocar Obturator
502-526-130	2.7mm 30° Reverse-Cant Autoclavable C-Mount Stubby Arthroscope, Speedlock	502-244-510	Blunt Tip Obturator
502-526-070	2.7mm 70° Autoclavable C-Mount Stubby Arthroscope, Speedlock	502-244-500	Pencil Tip Obturator
502-626-010	2.7mm 0° Non-Autoclavable C-Mount Stubby Arthroscope, Speedlock		
502-626-030	2.7mm 30° Non-Autoclavable C-Mount Stubby Arthroscope, Speedlock		

2.3mm Arthroscopes	Product Description	Speed-Lock™ Hardware for 2.3mm Arthroscopes	
502-344-010	2.3mm 0° Autoclavable Arthroscope, Speedlock	502-344-560	3.2mm Cannula, 2 Rotating Stopcocks
502-344-030	2.3mm 30° Autoclavable Arthroscope, Speedlock	502-344-550	3.2mm Cannula, 1 Fixed Stopcock
502-344-130	2.3mm 30° Reverse-Cant Autoclavable Arthroscope, Speedlock	502-344-540	3.2mm Cannula, 2 Fixed Stopcocks
502-344-070	2.3mm 70° Autoclavable Arthroscope, Speedlock	502-344-530	3.2mm Cannula, 1 Rotating Stopcock
502-523-010	2.3mm 0° Autoclavable C-Mount Arthroscope, Speedlock	502-344-520	Trocar
502-523-030	2.3mm 30° Autoclavable C-Mount Arthroscope, Speedlock	502-344-510	Blunt Tip Obturator
502-523-130	2.3mm 30° Reverse-Cant Autoclavable C-Mount Arthroscope, Speedlock	502-344-500	Pencil Tip Obturator
502-523-070	2.3mm 70° Autoclavable C-Mount Arthroscope, Speedlock	502-623-530	2.9mm Cannula, 1 Rotating Stopcock
502-623-030	2.3mm 30° Non-Autoclavable C-Mount Arthroscope, Speedlock	502-623-520	Trocar
		502-623-510	Blunt Tip Obturator
		502-623-500	Pencil Tip Obturator

1.9mm Arthroscopes	Product Description	Speed-Lock™ Hardware for 1.9mm Arthroscopes	
502-144-010	1.9mm 0° Autoclavable Arthroscope, Speedlock	502-144-560	2.8mm Cannula, 2 Rotating Stopcocks
502-144-030	1.9mm 30° Autoclavable Arthroscope, Speedlock	502-144-550	2.8mm Cannula, 1 Fixed Stopcock
502-524-030	1.9mm 30° Autoclavable C-Mount Arthroscope, Speedlock	502-144-540	2.8mm Cannula, 2 Fixed Stopcocks
502-624-030	1.9mm 30° Non-Autoclavable C-Mount Arthroscope, Speedlock	502-144-530	2.8mm Cannula, 1 Rotating Stopcock
		502-144-520	Trocar
		502-144-510	Blunt Tip Obturator
		502-144-500	Pencil Tip Obturator

ARTHROSCOPES Accessories

Accessories	Product Description
233-032-104	Autoclavable Arthroscope Sterilization Tray (Holds 2 Arthroscopes)
233-032-116	Autoclavable Arthroscope and Hardware Sterilization Tray
233-032-105	Arthroscope and Camera Sterilization Tray
233-032-107	Endoscopic Scope and Camera Sterilization Tray
375-035-302	3.5mm Formula Small-Joint Cutter Cannula
375-035-100	3.5mm Formula Trocar
375-035-200	3.5mm Formula Obturator
375-023-027	2.7mm Speed-Lock™ Bridge

Small Joint Manual Instruments

Ordering Information

Champion™ Small Joint Kit	Product Description
242-100-000	Champion Small Joint Instrumentation Set
242-100-012	Champion Small Joint Sterilization Tray
242-100-002	2.1mm Blunt Nose Straight
242-100-003	2.1mm Blunt Nose Right
242-100-004	2.1mm Blunt Nose Left
242-100-005	2.1mm Blunt Nose Down
242-100-006	2.1mm Blunt Nose Up
242-100-007	2.5mm Scissors
242-100-008	2.5mm Grasper
242-100-012	2.7mm Blunt Nose Straight
242-100-013	2.7mm Blunt Nose Up
242-100-014	Small Joints Probe Straight
242-100-015	Small Joints Probe 90°
242-100-016	Small Joints Probe 30°
242-010-200	Mini 2mm Small Joint Punch
242-010-300	Mini 2mm Small Joint Grasper
242-010-400	Mini 2mm Small Joint Scissors
242-000-012	12 Position Instrument Sterilization Tray
242-000-024	23 Position Instrument Sterilization Tray
240-070-206	Shear Pin Repair Kit 0.6mm
240-070-205	Shear Pin Repair Kit 0.5mm
240-070-205	Shear Pin Repair Kit 0.4mm

Small Joint Rigid Instruments	Product Description
233-070-182	2.5mm Probe
233-071-001	2.0mm Angled Probe
233-071-002	1.5mm Straight Probe
233-071-003	2.0mm Straight Rasp
233-071-004	2.0mm Back Angled Rasp
233-071-005	2.0mm Up Angled Rasp
233-071-006	2.0mm Retrograde Knife
233-071-007	2.5mm Hook Knife
233-071-008	2.0mm Smilie Knife
233-071-011	2.0mm Serrated Straight Knife
233-071-013	1.5mm Straight Scalpel Knife
233-071-014	1.5mm Curved Scalpel Knife
233-070-001	Camelback Handle
233-032-130	Small Joint Rigid Instrumentation Case

Cutters / Burs

Ordering Information

Hand Pieces	Product Description
375-701-500	Formula Shaver (no buttons)
375-704-500	Formula Shaver (buttons)
375-708-500	Formula 180 Shaver
275-601-500	Small Joint Shaver

Console	Product Description
5400-050-000	CORE™ Console
277-100-100	iSWITCH Footswitch
277-200-100	iSWITCH Receiver

Formula® Small Joint Cutters & Burs	Product Description
375-627-000	2.5mm Full Radius Cutter
375-637-000	3.5mm Full Radius Cutter
375-628-000	2.5mm Aggressive Plus Cutter
375-638-000	3.5mm Aggressive Plus Cutter
375-636-000	3.5mm Tomcat Cutter
375-641-000	2.0mm Hooded Abrasion Bur
375-647-000	3.0mm Hooded Abrasion Bur

Small Joint Cutters & Burs <small>(Small-Joint Shaver Compatible)</small>	Product Description
275-627-000	2.5mm Full Radius Cutter
275-637-000	3.5mm Full Radius Cutter
275-628-000	2.5mm Aggressive Plus Cutter
275-638-000	3.5mm Aggressive Plus Cutter
275-641-000	2.0mm Hooded Abrasion Bur
275-647-000	3.0mm Hooded Abrasion Bur

SERFAS™ ENERGY

Ordering Information

Console	Product Description
279-000-000	SERFAS™ Energy Console
277-100-100	iSWITCH Footswitch
277-200-100	iSWITCH Receiver

Small Joint Probes	Product Description
279-251-101	2.5mm Aardvark
279-250-201	2.5mm Micro-Brush
279-250-101	2.5mm Micro-Claw

Small Joint Infusion Kit

Ordering Information

Small Joint Infusion Kit	Product Description
233-021-000	Small Joint Infusion Kit

Joint Replacements

Trauma, Extremities & Deformities

Craniomaxillofacial

Spine

Biologics

Surgical Products

Neuro & ENT

Interventional Pain

Navigation

Endoscopy

Communications

Imaging

Patient Handling Equipment

EMS Equipment

Rehabilitation Services

Stryker Endoscopy
5900 Optical Court
San Jose, CA 95138
t: 1 800 624 4422 f: 1 800 729 2917

www.stryker.com

The information presented in this brochure is intended to demonstrate a Stryker product. Always refer to the package insert, product label and/or user instructions before using any Stryker product. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Products referenced with [™] designation are trademarks of Stryker.
Products referenced with [®] designation are registered trademarks of Stryker.

Literature Number: **1000900573 (Rev. A)**
VID/FWG 2.5k 01/07

Copyright © 2006 Stryker
Printed in USA